

**SPRING LAWN SOLUTIONS (revised 02/23/11)**

N CENTRAL FLORIDA, S GEORGIA, SE ALABAMA

**By Dennis Bunkley IHA Certified Horticultural Specialist**

*This is only a guide. Read all product labels before use. Consumer assumes all risks for proper use and disposal.*

**Weed infestations require an application of two different products or control is not possible. Make sure you provide a service to your customer, make sure they leave with both products and the proper amount to cover their lawn.**

**WEED CONTROL** (Light Infestation) The lawn has small areas of sparatic weeds. No more than 30% of total turf area.

- **MID FEB. THRU APRIL**-First apply Fertilome Weed & Feed with Dimension. This will "wake up" the lawn from its winter sleep, prevent the weed problem from getting any worse {a "birth control" for seeds}. Apply to a dry lawn and water in. Works with all types of turf grass.
- Second application-6 weeks later, Apply Fertilome Centipede Weed & Feed. This will kill any remaining weeds and feed the lawn for summer. Apply while the grass in wet (morning is best), this allows the weed killer to stick to the weeds. Water in after 48hrs. Works with all turf grass.
- **MID MARCH THRU MID JUNE**-First apply Fertilome Centipede Weed & Feed **before** the first week in May. This will kill most weeds and green up the lawn. Apply when the grass is wet. Water in after 48hrs.
- Second application-5 weeks later, Apply Fertilome Weed & Feed with Dimension. This will help prevent summer weed growth. This application will also give the lawn a rich green up. Apply to a dry lawn and water in.

**WEED CONTROL** (Heavy Infestation) The lawn has more than 30% coverage of weeds. Lawns with dense, concentrated patches of weeds **will** leave bare spots in the turf when they die. Some bare spots may be quite large depending on how intense the weed growth is. Heavy weed infestations require **an** application of **two** different products or control is **not** possible. The products must be applied the same day or within three days, make sure you provide a **service** to your customer, make sure they leave with both products and the proper amount to cover their lawn.

- **JANUARY THRU MAY**- First application use Hi-Yield Atrazine (liquid) **or** Hi-Yield Turf & Ornamental Weed & Grass Stopper (granule). Apply these products to the **entire** lawn. Water in right after application. These products will kill the thousands of seeds from the existing weeds as they try to germinate. They will contain the weed problem and prevent it from getting any worse.
- Second application-Same day or within three days use Fertilome WeedOut Liquid **or** Fertilome WeedOut Granule. Apply to all areas of weed growth. Allow to dry for at least 24 to 48 hrs. This will kill most of the existing weeds, **they may take 6 to 8 weeks to die.**

**ANY TIME: Fertilome Weed & Feed with Dimension and Hi-Yield Turf & Ornamental Weed & Grass Stopper Granule.**

**NOTES:** \_\_\_\_\_  
\_\_\_\_\_

